Lawn maintenance calendar*

AB-MB-NB-NS-ON-PE-QC-SK

BC

STEPS	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	ОСТ	NOTES
Seeding										The temperature must be between 15 °C and 20 °C for at least two weeks.
Raking										The ground must no longer be soaked.
Aeration										Use a lawn aerator to make holes 7 to 10 cm in depth.
Dethatching										Proceed if thatch is more than 1.25 cm thick.
Lawn repairs										A temperature of 20 °C to 25 °C during the day and 14 °C to 18 °C at night facilitates germination.
White grub control										Water first and then keep lawn moist for 7 days.
Watering										Water once a week (for a total of 3 cm of water including rainfall), preferably in the morning.
Mowing										Cut your grass to a height of 8-10 cm. Avoid mowing more than 1/3 of the total height.
Feeding										C-I-L Restore Feed & Seed Lawn Fertilizer is perfect in the spring and fall.
Chinch bug control										Do not mistake chinch bug damage with symptoms of drought.
Sod webworm control										Treat as soon as the first signs appear in late summer or as a preventative treatment in spring.
Overseeding										The temperature must be over 10 °C for optimal germination.
Weed control										Remove the whole root. Doing that in the fall prevents weeds from reseeding.
European crane fly control										The treatment must target grub larvae.

* The periods suggested above may differ depending on the temperature.

